

```
<FilesMatch "(\\.jsonld)$">
    ForceType application/ld+json
    SetHandler default_handler
    Header set Access-Control-Allow-Origin "*"
</FilesMatch>

# Turn off MultiViews
Options -MultiViews

# Directive to ensure *.ttl and .jsonld files served appropriately
AddType text/turtle .ttl
AddType application/ld+json .jsonld

# Rewrite engine setup
RewriteEngine On
RewriteBase /test-suite

# Rewrite rule to serve HTML content from the vocabulary URI if requested
RewriteCond %{HTTP_ACCEPT} !application/rdf\+xml.*(text/html|application/xhtml\+xml)
RewriteCond %{HTTP_ACCEPT} text/html [OR]
RewriteCond %{HTTP_ACCEPT} application/xhtml\+xml [OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla/. *
RewriteRule ^vocab$ vocab.html [R=303]

# Rewrite rule to serve Turtle content from the vocabulary URI if requested
RewriteCond %{HTTP_ACCEPT} text/turtle
RewriteRule ^vocab$ vocab.ttl [R=303]

# Rewrite rule to serve JSON-LD content from the vocabulary URI if requested
RewriteCond %{HTTP_ACCEPT} application/ld+json
RewriteRule ^vocab$ vocab.jsonld [R=303]

# Choose the default response
# -----

# Rewrite rule to serve the HTML content from the vocabulary URI by default
RewriteRule ^vocab$ vocab.html [R=303]
```