

```
#  
# Apache/PHP/Drupal settings:  
  
# Protect files and directories from prying eyes.  
<FilesMatch "\.(engine|ini|info|install|make|module|profile|test|sql|sh|tpl)\$|\.php|xtmpl|(^|\\.|_|.sw[op]|\\.bak|\\.orig|\\.save)?\$|^(\.|Entries| Repository|Root|Tag|Template)$|^#\$|\\.php|^(\.|.sw[op]|\\.bak|\\.orig|\\.save)  
Order allow,deny  
</FilesMatch>  
  
# Don't show directory listings for URLs which map to a directory.  
Options -Indexes  
  
# Follow symbolic links in this directory.  
Options +FollowSymLinks  
  
# Make Drupal handle any 404 errors.  
ErrorDocument 404 /index.php  
  
# Set the default handler.  
DirectoryIndex index.php index.html index.htm  
  
# Override PHP settings that cannot be changed at runtime. See  
# sites/default/default.settings.php and drupal_environment_initialize() in  
# includes/bootstrap.inc for settings that can be changed at runtime.  
  
# PHP 5, Apache 1 and 2.  
<IfModule mod_php5.c>  
    php_flag magic_quotes_gpc off  
    php_flag magic_quotes_sybase off  
    php_flag register_globals off  
    php_flag session.auto_start off  
    php_value mbstring.http_input pass  
    php_value mbstring.http_output pass  
    php_flag mbstring.encoding_translation off  
</IfModule>  
  
# Requires mod_expires to be enabled.  
<IfModule mod_expires.c>  
    # ...  
    #
```

```
# enable expirations.
ExpiresActive On

# Cache all files for 2 weeks after access (A).
ExpiresDefault A1209600

<FilesMatch \.php$>
  # Do not allow PHP scripts to be cached unless they explicitly send cache
  # headers themselves. Otherwise all scripts would have to overwrite the
  # headers set by mod_expires if they want another caching behavior. This may
  # fail if an error occurs early in the bootstrap process, and it may cause
  # problems if a non-Drupal PHP file is installed in a subdirectory.
  ExpiresActive Off
</FilesMatch>
</IfModule>

# Various rewrite rules.
<IfModule mod_rewrite.c>
  RewriteEngine On
  RewriteBase /
  RewriteCond %{REQUEST_FILENAME} !-f
  RewriteCond %{REQUEST_FILENAME} !-d
  RewriteRule . /index.php [L]

# Rules to correctly serve gzip compressed CSS and JS files.
# Requires both mod_rewrite and mod_headers to be enabled.
<IfModule mod_headers.c>
  # Serve gzip compressed CSS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(.*)\.css $1\.css\.gz [QSA]

  # Serve gzip compressed JS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.js -s
  RewriteRule ^(.*)\.js $1\.js\.gz [QSA]

  # Serve correct content types, and prevent mod_deflate double gzip.
  RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1]
  RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1]
```

```
<FilesMatch "\.(js|css)\.gz$">
    # Serve correct encoding type.
    Header set Content-Encoding gzip
    # Force proxies to cache gzipped & non-gzipped css/js files separately.
    Header append Vary Accept-Encoding
</FilesMatch>
</IfModule>
</IfModule>
```