

```

#
# Apache/PHP/Drupal settings:
#

# Protect files and directories from prying eyes.
<FilesMatch "(\\. (engine|incl|install|module|sh\\. *sql|theme|tpl(\\. php)?|xhtml)|code-
style\\. pl|Entries\\. *|Repository|Root)$">
    Order deny,allow
    Deny from all
</FilesMatch>

# Set some options.
Options -Indexes
Options +FollowSymLinks

# Customized error messages.
ErrorDocument 404 /index.php

# Set the default handler.
DirectoryIndex index.php

# Override PHP settings. More in sites/default/settings.php
# but the following cannot be changed at runtime.

# PHP 4, Apache 1
<IfModule mod_php4.c>
    php_value magic_quotes_gpc          0
    php_value register_globals          0
    php_value session.auto_start        0
</IfModule>

# PHP 4, Apache 2
<IfModule sapi_apache2.c>
    php_value magic_quotes_gpc          0
    php_value register_globals          0
    php_value session.auto_start        0
</IfModule>

# PHP 5, Apache 1 and 2
<IfModule mod_php5.c>
    php_value magic_quotes_gpc          0

```

```

php_value magic_quotes_gpc          0
php_value register_globals          0
php_value session.auto_start        0
</IfModule>

# Reduce the time dynamically generated pages are cache-able.
<IfModule mod_expires.c>
    ExpiresByType text/html A1
</IfModule>

# Various rewrite rules.
<IfModule mod_rewrite.c>
    RewriteEngine on

    # If your site can be accessed both with and without the prefix www,
    # you can use one of the following settings to force user to use only one option:
    #
    # If you want the site to be accessed WITH the www, only, adapt and uncomment the
    following:
    # RewriteCond %{HTTP_HOST} !^www\.example\.com$ [NC]
    # RewriteRule .* http://www.example.com/ [L,R=301]
    #
    # If you want the site to be accessed only WITHOUT the www, , adapt and uncomment the
    following:
    # RewriteCond %{HTTP_HOST} !^example\.com$ [NC]
    # RewriteRule .* http://example.com/ [L,R=301]

    # Modify the RewriteBase if you are using Drupal in a subdirectory and
    # the rewrite rules are not working properly.
    #RewriteBase /drupal
RewriteBase /laurence

    # Rewrite old-style URLs of the form 'node.php?id=x'.
    #RewriteCond %{REQUEST_FILENAME} !-f
    #RewriteCond %{REQUEST_FILENAME} !-d
    #RewriteCond %{QUERY_STRING} ^id=([^&]+)$
    #RewriteRule node.php index.php?q=node/view/%1 [L]

    # Rewrite old-style URLs of the form 'module.php?mod=x'.
    #RewriteCond %{REQUEST_FILENAME} !-f
    #RewriteCond %{REQUEST_FILENAME} !-d
    #RewriteCond %{QUERY_STRING} ^mod=([^&]+)$

```

```
#RewriteCond %{QUERY_STRING} ^mod=([^\&]+)$  
#RewriteRule module.php index.php?q=%1 [L]
```

```
# Rewrite current-style URLs of the form 'index.php?q=x'.
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteRule ^(.*)$ index.php?q=$1 [L,QSA]
```

```
</IfModule>
```

```
# $Id: .htaccess,v 1.73 2006/04/14 09:08:26 killee Exp $
```