

```

Options +FollowSymlinks
RewriteEngine on
ErrorDocument 404 /index.php
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>
# END WordPress

#BEGIN GZIP COMPRESSION BY THEMIFY BUILDER
    <IfModule mod_deflate.c>
        #add content typing
        AddType application/x-gzip .gz .tgz
        AddEncoding x-gzip .gz .tgz

        # Insert filters
        AddOutputFilterByType DEFLATE text/plain
        AddOutputFilterByType DEFLATE text/html
        AddOutputFilterByType DEFLATE text/xml
        AddOutputFilterByType DEFLATE text/css
        AddOutputFilterByType DEFLATE application/xml
        AddOutputFilterByType DEFLATE application/xhtml+xml
        AddOutputFilterByType DEFLATE application/rss+xml
        AddOutputFilterByType DEFLATE application/javascript
        AddOutputFilterByType DEFLATE application/x-javascript
        AddOutputFilterByType DEFLATE application/x-httpd-php
        AddOutputFilterByType DEFLATE application/x-httpd-fastphp
        AddOutputFilterByType DEFLATE image/svg+xml

        # Drop problematic browsers
        BrowserMatch ^Mozilla/4 gzip-only-text/html
        BrowserMatch ^Mozilla/4\.0[678] no-gzip
        BrowserMatch \bMSIE[ ] !no-gzip !gzip-only-text/html

        # Make sure proxies don't deliver the wrong content
        Header append Vary User-Agent
    </IfModule>

```

```
header append vary user-agent env=! dont-vary
```

```
</IfModule>
```

```
# END GZIP COMPRESSION
```

```
## EXPIRES CACHING ##
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
```

```
ExpiresDefault "access plus 1 week"
```

```
ExpiresByType image/jpg "access plus 1 year"
```

```
ExpiresByType image/jpeg "access plus 1 year"
```

```
ExpiresByType image/gif "access plus 1 year"
```

```
ExpiresByType image/png "access plus 1 year"
```

```
ExpiresByType image/svg+xml "access plus 1 month"
```

```
ExpiresByType text/css "access plus 1 month"
```

```
ExpiresByType text/html "access plus 1 minute"
```

```
ExpiresByType text/plain "access plus 1 month"
```

```
ExpiresByType text/x-component "access plus 1 month"
```

```
ExpiresByType text/javascript "access plus 1 month"
```

```
ExpiresByType text/x-javascript "access plus 1 month"
```

```
ExpiresByType application/pdf "access plus 1 month"
```

```
ExpiresByType application/javascript "access plus 1 months"
```

```
ExpiresByType application/x-javascript "access plus 1 months"
```

```
ExpiresByType application/x-shockwave-flash "access plus 1 month"
```

```
ExpiresByType image/x-icon "access plus 1 year"
```

```
ExpiresByType application/xml "access plus 0 seconds"
```

```
ExpiresByType application/json "access plus 0 seconds"
```

```
ExpiresByType application/ld+json "access plus 0 seconds"
```

```
ExpiresByType application/xml "access plus 0 seconds"
```

```
ExpiresByType text/xml "access plus 0 seconds"
```

```
ExpiresByType application/x-web-app-manifest+json "access plus 0
```

seconds"

```
ExpiresByType text/cache-manifest "access plus 0 seconds"
```

```
ExpiresByType audio/ogg "access plus 1 month"
```

```
ExpiresByType video/mp4 "access plus 1 month"
```

```
ExpiresByType video/ogg "access plus 1 month"
```

```
ExpiresByType video/webm "access plus 1 month"
```

```
ExpiresByType application/atom+xml "access plus 1 hour"
```

```
ExpiresByType application/rss+xml "access plus 1 hour"
```

```
ExpiresByType application/font-woff "access plus 1 month"
```

```
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
```

```
ExpiresByType application/x-font-ttf "access plus 1 month"
```

```
ExpiresByType font/opentype "access plus 1 month"
```

```
.....
```

```

</IfModule>
#Alternative caching using Apache's "mod_headers", if it's installed.
#Caching of common files - ENABLED
<IfModule mod_headers.c>
  <FilesMatch "\.
(ico|pdf|flv|swf|js|css|gif|png|jpg|jpeg|ico|txt|html|htm)$">
    Header set Cache-Control "max-age=2592000, public"
  </FilesMatch>
</IfModule>

<IfModule mod_headers.c>
  <FilesMatch "\.(js|css|xml|gz)$">
    Header append Vary Accept-Encoding
  </FilesMatch>
</IfModule>

<IfModule mod_gzip.c>
  mod_gzip_on Yes
  mod_gzip_dechunk Yes
  mod_gzip_item_include file \.(html?|txt|css|js|php|pl)$
  mod_gzip_item_include handler ^cgi-script$
  mod_gzip_item_include mime ^text/. *
  mod_gzip_item_include mime ^application/x-javascript.*
  mod_gzip_item_exclude mime ^image/. *
  mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*
</IfModule>

# Set Keep Alive Header
<IfModule mod_headers.c>
  Header set Connection keep-alive
</IfModule>

# If your server don't support ETags deactivate with "None" (and
remove header)
<IfModule mod_expires.c>
  <IfModule mod_headers.c>
    Header unset ETag
  </IfModule>
  FileETag None
</IfModule>
## EXPIRES CACHING ##

```

#END GZIP COMPRESSION BY THEMIFY BUILDER