

```
# BEGIN All In One WP Security
#AIOWPS_BLOCK_WP_FILE_ACCESS_START
<files license.txt>
order allow,deny
deny from all
</files>
<files wp-config-sample.php>
order allow,deny
deny from all
</files>
<files readme.html>
order allow,deny
deny from all
</files>
#AIOWPS_BLOCK_WP_FILE_ACCESS_END
#AIOWPS_BASIC_HTACCESS_RULES_START
<files .htaccess>
order allow,deny
deny from all
</files>
ServerSignature Off
LimitRequestBody 102400000
<files wp-config.php>
order allow,deny
deny from all
</files>
#AIOWPS_BASIC_HTACCESS_RULES_END
#AIOWPS_PINGBACK_HTACCESS_RULES_START
<IfModule mod_alias.c>
RedirectMatch 403 /(.*)/xmlrpc\.php$
</IfModule>
#AIOWPS_PINGBACK_HTACCESS_RULES_END
#AIOWPS_DISABLE_INDEX_VIEWS_START
Options All -Indexes
#AIOWPS_DISABLE_INDEX_VIEWS_END
#AIOWPS_DISABLE_TRACE_TRACK_START
RewriteEngine On
RewriteCond %{REQUEST_METHOD} ^(TRACE|TRACK)
RewriteRule .* - [F]
#AIOWPS_DISABLE_TRACE_TRACK_END
#AIOWPS_DISABLE_TRACK_COMMENTS_START
```

```
#AIOWPS_FORBID_PROXY_COMMENTS_START
```

```
RewriteCond %{REQUEST_METHOD} =POST
```

```
RewriteCond %{HTTP: VIA} %{HTTP: FORWARDED} %{HTTP: USERAGENT_VIA} %{HTTP: X_FORWARDED_FOR} %{HTTP: F
```

```
RewriteCond %{HTTP: XPROXY_CONNECTION} %{HTTP: HTTP_PC_REMOTE_ADDR} %{HTTP: HTTP_CLIENT_IP} !^$
```

```
RewriteCond %{REQUEST_URI} !^(wp-login.php|wp-admin/|wp-content/plugins/|wp-includes/). * [f
```

```
RewriteRule .* - [F,NS,L]
```

```
#AIOWPS_FORBID_PROXY_COMMENTS_END
```

```
#AIOWPS_DENY_BAD_QUERY_STRINGS_START
```

```
RewriteCond %{QUERY_STRING} tag= [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ftp: [NC,OR]
```

```
RewriteCond %{QUERY_STRING} http: [NC,OR]
```

```
RewriteCond %{QUERY_STRING} https: [NC,OR]
```

```
RewriteCond %{QUERY_STRING} mosConfig [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ^.*(global|s|encode|localhost|loopback). * [NC,OR]
```

```
RewriteCond %{QUERY_STRING} (\;|'|\"| %22). *(request|insert|union|declare|drop) [NC]
```

```
RewriteRule ^(. *)$ - [F,L]
```

```
#AIOWPS_DENY_BAD_QUERY_STRINGS_END
```

```
#AIOWPS_ADVANCED_CHAR_STRING_FILTER_START
```

```
<IfModule mod_alias.c>
```

```
RedirectMatch 403 \,
```

```
RedirectMatch 403 \:
```

```
RedirectMatch 403 \;
```

```
RedirectMatch 403 \=
```

```
RedirectMatch 403 \@
```

```
RedirectMatch 403 \[
```

```
RedirectMatch 403 \]
```

```
RedirectMatch 403 \^
```

```
RedirectMatch 403 \`
```

```
RedirectMatch 403 \{
```

```
RedirectMatch 403 \}
```

```
RedirectMatch 403 \~
```

```
RedirectMatch 403 \"
```

```
RedirectMatch 403 \$
```

```
RedirectMatch 403 <
```

```
RedirectMatch 403 >
```

```
RedirectMatch 403 \|
```

```
RedirectMatch 403 \. \.
```

```
RedirectMatch 403 \0
```

```
RedirectMatch 403 \A
```

```
RedirectMatch 403 \B
```

```
RedirectMatch 403 \C
```

```
RedirectMatch 403 \D
```

```
RedirectMatch 403 \E
```

```
RedirectMatch 403 \%D
RedirectMatch 403 \%E
RedirectMatch 403 \%F
RedirectMatch 403 \%22
RedirectMatch 403 \%27
RedirectMatch 403 \%28
RedirectMatch 403 \%29
RedirectMatch 403 \%3C
RedirectMatch 403 \%3E
RedirectMatch 403 \%3F
RedirectMatch 403 \%5B
RedirectMatch 403 \%5C
RedirectMatch 403 \%5D
RedirectMatch 403 \%7B
RedirectMatch 403 \%7C
RedirectMatch 403 \%7D
# COMMON PATTERNS
Redirectmatch 403 \_vpi
RedirectMatch 403 \.inc
Redirectmatch 403 xAou6
Redirectmatch 403 db\_name
Redirectmatch 403 select\<
Redirectmatch 403 convert\<
Redirectmatch 403 \\/query\/
RedirectMatch 403 ImpEvData
Redirectmatch 403 \.XMLHTTP
Redirectmatch 403 proxydeny
RedirectMatch 403 function\
Redirectmatch 403 remoteFile
Redirectmatch 403 servername
Redirectmatch 403 \&rptmode\=
Redirectmatch 403 sys\_cpanel
RedirectMatch 403 db\_connect
RedirectMatch 403 doeditconfig
RedirectMatch 403 check\_proxy
Redirectmatch 403 system\_user
Redirectmatch 403 \\\(null)\\/
Redirectmatch 403 clientrequest
Redirectmatch 403 option\_value
RedirectMatch 403 ref\.outcontrol
```

```
# SPECIFIC EXPLOITS
```

```

RedirectMatch 403 errors\,
RedirectMatch 403 config\,
RedirectMatch 403 include\,
RedirectMatch 403 display\,
RedirectMatch 403 register\,
RedirectMatch 403 password\,
RedirectMatch 403 maincore\,
RedirectMatch 403 authorize\,
RedirectMatch 403 macromates\,
RedirectMatch 403 head\_auth\,
RedirectMatch 403 submit\_links\,
RedirectMatch 403 change\_action\,
RedirectMatch 403 com\_facileforms\,
RedirectMatch 403 admin\_db\_utilities\,
RedirectMatch 403 admin\.webring\.docs\,
RedirectMatch 403 Table\Latest\index\,
</IfModule>

#AIDWPS_ADVANCED_CHAR_STRING_FILTER_END
#AIDWPS_FIVE_G_BLACKLIST_START
# 5G BLACKLIST/FIREWALL (2013)
# @ http://perishablepress.com/5g-blacklist-2013/

# 5G: [QUERY STRINGS]
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteCond %{QUERY_STRING} (\"|%22).*(<|>|%) [NC,OR]
RewriteCond %{QUERY_STRING} (javascript:).*(\;) [NC,OR]
RewriteCond %{QUERY_STRING} (<|%)script.*(%) [NC,OR]
RewriteCond %{QUERY_STRING} (\|\ \ \ \ /|'|\"%22).*$ [NC,OR]
RewriteCond %{QUERY_STRING} (\;|'|\"%22).*(union|select|insert|drop|update|md5|benchmark|or) [NC,OR]
RewriteCond %{QUERY_STRING} (base64_encode|localhost|mosconfig) [NC,OR]
RewriteCond %{QUERY_STRING} (boot\.ini|echo.*karel|etc/passwd) [NC,OR]
RewriteCond %{QUERY_STRING} (GLOBALS|REQUEST)<=|\| |% [NC]
RewriteRule .* - [F]
</IfModule>

# 5G: [USER AGENTS]
<IfModule mod_setenvif.c>
# SetEnvIfNoCase User-Agent ^$ keep_out
SetEnvIfNoCase User-Agent

```

```
(binlar|casper|cmsworldmap|comodol|diavoll|dotbot|feedfinder|flickyl|ia_archiver|jakartal|kmcrc|keep_out
<limit GET POST PUT>
Order Allow,Deny
Allow from all
Deny from env=keep_out
</limit>
</IfModule>
```

5G: [REQUEST STRINGS]

```
<IfModule mod_alias.c>
RedirectMatch 403 (https?!ftpl|php)\: //
RedirectMatch 403 /(https?!imal|ucp)/
RedirectMatch 403 /(Permanent|Better)$
RedirectMatch 403 (\=\\'|\\=\%27|/\\\'/?|)\.css\($
RedirectMatch 403 (\,|)\+|/,|/|\{0\}|\/\(|\.\.\.|\\++|+|\\|\\\\"\\")
RedirectMatch 403 \.(cgi|asp|aspx|cf|cgi|dll|exe|js|j|md|sql|ini|rar)$
RedirectMatch 403 /(contact|fpw|install|pingserver|register)\.php$
RedirectMatch 403 (base64|crossdomain|localhost|wwwroot|e107\_)
RedirectMatch 403 (eval\(|\\_vti\_|\\(null\\)|echo.*kael|config\.xml)
RedirectMatch 403 \.well-known/host-meta
RedirectMatch 403 /function\.array\-rand
RedirectMatch 403 \\;\;$\(|this\)\.html\(|
RedirectMatch 403 proc/self/envIRON
RedirectMatch 403 msnbot\.htm\)\.\.
RedirectMatch 403 /ref\.outcontrol
RedirectMatch 403 com\_cropimage
RedirectMatch 403 indonesia\.htm
RedirectMatch 403 \\(\$itemURL\|)
RedirectMatch 403 function\(|\|)
RedirectMatch 403 labels\.rdf
RedirectMatch 403 /playing.php
RedirectMatch 403 mui|blackcat
</IfModule>
```

5G: [REQUEST METHOD]

```
<IfModule mod_rewrite.c>
RewriteCond %{REQUEST_METHOD} ^(TRACE|TRACK)
RewriteRule .* - [F]
</IfModule>
```

```
# 5G: [BAD IPS]
<limit GET POST PUT>
Order Allow,Deny
Allow from all
# uncomment/edit/repeat next line to block IPs
# Deny from 123.456.789
</limit>
#AIOWPS_FIVE_G_BLACKLIST_END
# END All In One WP Security
# BEGIN W3TC Browser Cache
<IfModule mod_deflate.c>
    <IfModule mod_headers.c>
        Header append Vary User-Agent env=!dont-vary
    </IfModule>
    <IfModule mod_filter.c>
        AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript app
image/svg+xml text/plain text/xsd text/xsl text/xml image/x-icon application/json
    <IfModule mod_mime.c>
        # DEFLATE by extension
        AddOutputFilter DEFLATE js css htm html xml
    </IfModule>
</IfModule>
# END W3TC Browser Cache
```