

```

<IfModule mod_rewrite.c>
  RewriteEngine on
  RewriteRule ^include/minify/([a-z]=,*) /include/minify/index.php?$1 [L,NE]
  RewriteRule ^(download)/([a-zA-Z0-9]*)\/?$ /include/download_prepare.php?
type=$1&token=$2 [L]
  RewriteRule ^(download)/([a-zA-Z0-9]*)\/get$ /include/download_prepare.php?
type=$1&token=$2&get=1 [L]
  RewriteRule ^(mail-export)/([a-zA-Z0-9]*)\/?$ /include/download_anonymous.php?
type=$1&token=$2 [L]
  RewriteRule ^(mail-export)/([a-zA-Z0-9]*)\/get$ /include/download_anonymous.php?
type=$1&token=$2&get=1 [L]

  RewriteRule ^register-confirm=([a-zA-Z0-9]+)$ /login/register-confirm.php?code=$1 [L]

  RewriteRule ^admin/$ /admin/router.php [L]
  RewriteRule ^admin/description/. *$ /admin/router.php [L]
  RewriteRule ^admin/users/. *$ /admin/router.php [L]
  RewriteRule ^admin/tests/. *$ /admin/router.php [L]
  RewriteRule ^admin/fields/. *$ /admin/router.php [L]
  RewriteRule ^admin/publications/. *$ /admin/router.php [L]
  RewriteRule ^admin/typeahead/. *$ /admin/router.php [L]
  RewriteRule ^admin/subdefs/. *$ /admin/router.php [L]

  RewriteRule ^prod/records/edit/. *$ /prod/router.php [L]
  RewriteRule ^prod/records/movecollection/. *$ /prod/router.php [L]
  RewriteRule ^prod/records/delete/. *$ /prod/router.php [L]
  RewriteRule ^prod/order/. *$ /prod/router.php [L]
  RewriteRule ^prod/UserPreferences/. *$ /prod/router.php [L]
  RewriteRule ^prod/bridge/. *$ /prod/router.php [L]
  RewriteRule ^prod/MustacheLoader/. *$ /prod/router.php [L]
  RewriteRule ^prod/feeds/. *$ /prod/router.php [L]
  RewriteRule ^prod/tooltip/. *$ /prod/router.php [L]
  RewriteRule ^prod/lists/. *$ /prod/router.php [L]
  RewriteRule ^prod/baskets/. *$ /prod/router.php [L]
  RewriteRule ^prod/push/. *$ /prod/router.php [L]
  RewriteRule ^prod/printer/. *$ /prod/router.php [L]
  RewriteRule ^prod/story/. *$ /prod/router.php [L]
  RewriteRule ^prod/TOU/. *$ /prod/router.php [L]
  RewriteRule ^prod/WorkZone/. *$ /prod/router.php [L]
  RewriteRule ^prod/language/. *$ /prod/router.php [L]
  RewriteRule ^prod/... /prod/router.php [L]

```

```

RewriteRule ^prod/tools/. *$ /prod/router.php [L]
RewriteRule ^prod/upload/. *$ /prod/router.php [L]
RewriteRule ^prod/lazaret/. *$ /prod/router.php [L]
RewriteRule ^prod/$ /prod/router.php [L]

RewriteRule ^prod/query/. *$ /prod/router.php [L]
RewriteRule ^prod/export/. *$ /prod/router.php [L]
RewriteRule ^prod/record/preview/. *$ /prod/router.php [L]
RewriteRule ^prod/notifications/. *$ /prod/router.php [L]

RewriteRule ^robots.txt$ /index.php [L]
RewriteRule ^feeds/. *$ /index.php [L]

# RewriteRule ^atom\/(cooliris)+\/?([0-9]*)\/?$ /cooliris.php?item_id=$2 [L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^lightbox/. *$ /lightbox/index.php [L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^api/v1/. *$ /api/v1/index.php [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^api/oauthv2/. *$ /api/oauthv2/index.php [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^api/. *$ /api/index.php [L]

RewriteRule ^permalink/. *$ /include/overview.php [L]
RewriteRule ^datafiles/. *$ /include/overview.php [L]

RewriteRule ^login/(client|prod|admin|report|thesaurus|upload|lightbox)\/?$
/login/index.php?app=$1 [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^setup/. *$ /setup/installer.php [L]

RewriteRule ^admin/test-rewrite$ admin/adminFeedback.php?action=APACHE&test=success [L]
<IfModule mod_xsendfile.c>
    RewriteRule ^admin/test-xsendfile$ admin/adminFeedback.php?action=APACHE&test=success
[L]
</IfModule>
<IfModule mod_auth_token.c>
    RewriteRule ^admin/test-authtoken$ admin/adminFeedback.php?action=APACHE&test=success
[L]

```

```
</IfModule>
<IfModule mod_h264_streaming.c>
    RewriteRule ^admin/test-h264$ admin/adminFeedback.php?action=APACHE&test=success [L]
</IfModule>

RewriteRule ^admin/test-rewrite$ admin/adminFeedback.php?action=APACHE&test=fail [L]
RewriteRule ^admin/test-xsendfile$ admin/adminFeedback.php?action=APACHE&test=fail [L]
RewriteRule ^admin/test-authtoken$ admin/adminFeedback.php?action=APACHE&test=fail [L]
RewriteRule ^admin/test-h264$ admin/adminFeedback.php?action=APACHE&est=fail [L]
</IfModule>

<Files .htaccess>
    order allow,deny
    deny from all
</Files>

<ifModule mod_gzip.c>
    mod_gzip_on Yes
    mod_gzip_dechunk Yes
    mod_gzip_item_include file \.(html?|txt|css|js|php|pl)$
    mod_gzip_item_include handler ^cgi-script$
    mod_gzip_item_include mime ^text/. *
    mod_gzip_item_include mime ^application/x-javascript.*
    mod_gzip_item_exclude mime ^image/. *
    mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*
</ifModule>

<ifModule mod_deflate.c>
    AddOutputFilterByType DEFLATE text/html text/plain text/xml text/css text/javascript
    application/x-javascript
</ifModule>

ErrorDocument 204 /include/error.php
ErrorDocument 400 /include/error.php
ErrorDocument 403 /include/error.php
ErrorDocument 404 /include/error.php
ErrorDocument 500 /include/error.php

<IfModule mod_php5.c>
    php_flag short_open_tag off
    php_flag asp_tags off
```

```
php_flag magic_quotes_gpc off
php_flag register_globals off
php_value max_execution_time "30"
php_value output_buffering "4096"
</IfModule>
```