

```

# -----
# Expires headers (for better cache control)
# -----

#
# These are pretty far-future expires headers
# They assume you control versioning with cachebusting query params like:
# <script src="application.js?20100608">
# Additionally, consider that outdated proxies may miscache
#
# www.stevesouders.com/blog/2008/08/23/revving-filenames-dont-use-querystring/

#
# If you don't use filenames to version, lower the css and js to something like "access
plus 1 week"
#

<IfModule mod_expires.c>
    ExpiresActive on

# Perhaps better to whitelist expires rules? Perhaps.
    ExpiresDefault          "access plus 1 month"

# cache, apccache needs re-requests in FF 3.6 (thx Remy "Introducing HTML5")
    ExpiresByType text/cache-manifest "access plus 0 seconds"

# Your document html
    ExpiresByType text/html           "access plus 0 seconds"

# Data
    ExpiresByType text/xml            "access plus 0 seconds"
    ExpiresByType application/xml     "access plus 0 seconds"
    ExpiresByType application/json    "access plus 0 seconds"

# RSS feed
    ExpiresByType application/rss+xml "access plus 1 hour"

# Favicon (cannot be renamed)
    ExpiresByType image/x-icon       "access plus 1 week"

# Media elements (images, scripts, CSS)

```

```

# media: images, video, audio
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType image/jpg "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

# HTC files (css3pie)
ExpiresByType text/x-component "access plus 1 month"

# Webfonts
ExpiresByType font/truetype "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType application/x-font-woff "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"

# CSS and JavaScript
ExpiresByType text/css "access plus 1 month"
ExpiresByType application/javascript "access plus 1 month"
ExpiresByType text/javascript "access plus 1 month"

<IfModule mod_headers.c>
    Header append Cache-Control "public"
</IfModule>

</IfModule>

```

RewriteEngine On

*# The following rule tells Apache that if the requested filename
exists, simply serve it.*

```

RewriteCond %{REQUEST_FILENAME} -s [OR]
RewriteCond %{REQUEST_FILENAME} -l [OR]
RewriteCond %{REQUEST_FILENAME} -d
RewriteRule ^.*$ - [NC,L]

```

*# The following rewrites all other queries to index.php. The
condition ensures that if you are using Apache aliases to do
mass virtual hosting, the base path will be prepended to*

```

" .."

```

```
# allow proper resolution of the index.php file; it will work  
# in non-aliased environments as well, providing a safe, one-size  
# fits all solution.
```

```
RewriteCond %{REQUEST_URI}::$1 ^(/.+)(.+)::\2$
```

```
RewriteRule ^(.*) - [E=BASE:%1]
```

```
RewriteRule ^(.*)$ %{ENV:BASE}index.php [NC,L]
```

```
php_flag display_startup_errors off
```

```
php_flag display_errors off
```

```
php_flag html_errors on
```

```
php_flag log_errors on
```

```
php_flag ignore_repeated_errors off
```

```
php_flag ignore_repeated_source off
```

```
php_flag report_memleaks on
```

```
php_flag track_errors on
```

```
php_value docref_root 0
```

```
php_value docref_ext 0
```

```
# [see footnote 3] # php_value error_reporting 999999999
```

```
php_value error_reporting 999999999
```