

```
php_flag display_startup_errors on
php_flag display_errors on
php_flag html_errors on
#php_flag log_errors on
#php_value error_log /home/path/public_html/domain/PHP_errors.log

Options +FollowSymLinks

RewriteEngine On
RewriteBase /github/nanodesk/

## If the request is for a valid directory
RewriteCond %{REQUEST_FILENAME} -d [OR]

## If the request is for a valid file
# RewriteCond %{REQUEST_FILENAME} -f [OR] <-- the below code would otherwise not work
RewriteCond %{REQUEST_FILENAME} -f

## If the request is for a valid link
#RewriteCond %{REQUEST_FILENAME} -l <-- this causes urlencode not to work

## don't do anything
RewriteRule ^ - [L]

##
# Add trailing slash when missing
##

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_URI} !(\.*/)$
RewriteRule ^(\.*/)$ $1/ [R=301,L]

##
# Query fields
##

#RewriteRule ^([^\./]+)/$ index.php?p=$1
#RewriteRule ^([^\./]+)/([^\./]+)/$ index.php?p=$1&var=$2
#RewriteRule ^([^\./]+)/([^\./]+)/([^\./]+)/$ index.php?p=$1&var=$2&var2=$3
#RewriteRule ^([^\./]+)/([^\./]+)/([^\./]+)/([^\./]+)/$ index.php?p=$1&var=$2&var2=$3&var3=$4
```

RewriteRule ^([^\s]+)/([^\s]+)/([^\s]+)/([^\s]+)/?\$?p=\$1&var=\$2&var2=\$3&var3=\$4 [L, QSA]

RewriteRule ^([^\s]+)/([^\s]+)/([^\s]+)/?\$?p=\$1&var=\$2&var2=\$3 [L, QSA]

RewriteRule ^([^\s]+)/([^\s]+)/?\$?p=\$1&var=\$2 [L, QSA]

RewriteRule ^([^\s]+)/?\$?p=\$1 [L, QSA]