

```
RewriteOptions inherit
```

```
IndexIgnore *
```

```
RewriteEngine On
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteRule ^(.*)/$ /$1 [L,R=301]
```

```
#RewriteCond %{HTTPS} !=on
```

```
#RewriteCond %{HTTP_HOST} ^www\.(.+)$ [NC]
```

```
#RewriteRule ^ http://%1%{REQUEST_URI} [R=301,L]
```

```
#RewriteRule ^(.*)/$ /$1 [L,R=301]
```

```
RewriteCond $1 !\.(gif|jpe?g|png|xml)$ [NC]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteRule ^(.*)$ /index.php/$1 [L]
```

```
<IfModule mod_php5.c>
```

```
php_value upload_max_filesize 30M
```

```
php_value post_max_size 30M
```

```
</IfModule>
```

```
# -----
```

```
# Better website experience for IE users
```

```
# -----
```

```
# Force the latest IE version, in various cases when it may fall back to IE7 mode
```

```
# github.com/rails/rails/commit/123eb25#commitcomment-118920
```

```
# Use ChromeFrame if it's installed for a better experience for the poor IE folk
```

```
<IfModule mod_headers.c>
```

```
Header set X-UA-Compatible "IE=Edge"
```

```
# mod_headers can't match by content-type, but we don't want to send this header on *ever!
```

```
<FilesMatch "\.(js|css|gif|png|jpe?
```

```
g|pdf|xml|ogal|oggl|m4al|ogvl|mp4l|m4vl|webml|svgl|svgz|eotl|ttfl|otfl|woffl|icol|webpl|appcachel|manifestl
```

```
>
```

```
Header unset X-UA-Compatible
```

```
</FilesMatch>
```

```
</IfModule>
```

```

# -----
# Cross-domain AJAX requests
# -----

# Serve cross-domain Ajax requests, disabled by default.
# enable-cors.org
# code.google.com/p/html5security/wiki/CrossOriginRequestSecurity

# <IfModule mod_headers.c>
# Header set Access-Control-Allow-Origin "*"
# </IfModule>

# -----
# CORS-enabled images (@crossorigin)
# -----

# Send CORS headers if browsers request them; enabled by default for images.
# developer.mozilla.org/en/CORS_Enabled_Image
# blog.chromium.org/2011/07/using-cross-domain-images-in-webgl-and.html
# hacks.mozilla.org/2011/11/using-cors-to-load-webgl-textures-from-cross-domain-images/
# wiki.mozilla.org/Security/Reviews/crossoriginAttribute

<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    # mod_headers, y u no match by Content-Type?!
    <FilesMatch "\.(gif|png|jpe?g|svg|svgz|ico|webp)$">
      SetEnvIf Origin ":" IS_CORS
      Header set Access-Control-Allow-Origin "*" env=IS_CORS
    </FilesMatch>
  </IfModule>
</IfModule>

# -----
# Webfont access
# -----

# Allow access from all domains for webfonts.
# Alternatively you could only whitelist your
# subdomains like "subdomain.example.com".

```

```
<IfModule mod_headers.c>
  <FilesMatch "\.(ttf|ttd|otf|eot|woff|font. css)$">
    Header set Access-Control-Allow-Origin "*"
  </FilesMatch>
</IfModule>

# -----
# Proper MIME type for all files
# -----

# JavaScript
# Normalize to standard type (it's sniffed in IE anyways)
# tools.ietf.org/html/rfc4329#section-7.2
AddType application/javascript      js jsonp
AddType application/json            json

# Audio
AddType audio/ogg                    oga ogg
AddType audio/mp4                   m4a f4a f4b

# Video
AddType video/ogg                    ogv
AddType video/mp4                   mp4 m4v f4v f4p
AddType video/webm                   webm
AddType video/x-flv                  flv

# SVG
# Required for svg webfonts on iPad
# twitter.com/FontSquirrel/status/14855840545
AddType image/svg+xml               svg svgz
AddEncoding gzip                    svgz

# Webfonts
AddType application/vnd.ms-fontobject eot
AddType application/x-font-ttf       ttf ttc
AddType font/opentype                otf
AddType application/x-font-woff      woff

# Assorted types
AddType image/x-icon                 ico
AddType image/webp                   webp
```

```
AddType text/cache-manifest          appcache manifest
AddType text/x-component              htc
AddType application/xml               rss atom xml rdf
AddType application/x-chrome-extension crx
AddType application/x-opera-extension oex
AddType application/x-xpinstall       xpi
AddType application/octet-stream      safariextz
AddType application/x-web-app-manifest+json webapp
AddType text/x-vcard                  vcf
AddType application/x-shockwave-flash swf
AddType text/vtt                      vtt
```

```
# -----
# Allow concatenation from within specific js and css files
# -----
```

```
# e. g. Inside of script.combined.js you could have
# <!--#include file="libs/jquery-1.5.0.min.js" -->
# <!--#include file="plugins/jquery.idletimer.js" -->
# and they would be included into this single file.
```

```
# This is not in use in the boilerplate as it stands. You may
# choose to use this technique if you do not have a build process.
```

```
#<FilesMatch "\.combined\.js$">
# Options +Includes
# AddOutputFilterByType INCLUDES application/javascript application/json
# SetOutputFilter INCLUDES
#</FilesMatch>
```

```
#<FilesMatch "\.combined\.css$">
# Options +Includes
# AddOutputFilterByType INCLUDES text/css
# SetOutputFilter INCLUDES
#</FilesMatch>
```

```
# -----
# Gzip compression
# -----
```

```
<IfModule mod_deflate.c>
```

```

# Force deflate for mangled headers developer.yahoo.com/blogs/ym/2010/12/pushing-bu
<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    SetEnvIfNoCase ^(\Accept-Encoding|X-cept-Encoding|X(15)|^(15)|-(15))$ ^((gzip|deflate)\
HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
  </IfModule>
</IfModule>

# Compress all output labeled with one of the following MIME-types
<IfModule mod_filter.c>
  AddOutputFilterByType DEFLATE application/atom+xml \
    application/javascript \
    application/json \
    application/rss+xml \
    application/vnd.ms-fontobject \
    application/x-font-ttf \
    application/xhtml+xml \
    application/xml \
    font/opentype \
    image/svg+xml \
    image/x-icon \
    text/css \
    text/html \
    text/plain \
    text/x-component \
    text/xml

</IfModule>

</IfModule>

# -----
# Expires headers (for better cache control)
# -----

# These are pretty far-future expires headers.
# They assume you control versioning with filename-based cache busting
# Additionally, consider that outdated proxies may miscache
# www.stevesouders.com/blog/2008/08/23/revving-filenames-dont-use-querystring/

```

```
# If you don't use filenames to version, lower the CSS and JS to something like  
# "access plus 1 week".
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive on
```

```
# Perhaps better to whitelist expires rules? Perhaps.
```

```
ExpiresDefault "access plus 1 month"
```

```
# cache.appcache needs re-requests in FF 3.6 (thanks Remy "Introducing HTML5")
```

```
ExpiresByType text/cache-manifest "access plus 0 seconds"
```

```
# Your document html
```

```
ExpiresByType text/html "access plus 0 seconds"
```

```
# Data
```

```
ExpiresByType text/xml "access plus 0 seconds"
```

```
ExpiresByType application/xml "access plus 0 seconds"
```

```
ExpiresByType application/json "access plus 0 seconds"
```

```
# Feed
```

```
ExpiresByType application/rss+xml "access plus 1 hour"
```

```
ExpiresByType application/atom+xml "access plus 1 hour"
```

```
# Favicon (cannot be renamed)
```

```
ExpiresByType image/x-icon "access plus 1 week"
```

```
# Media: images, video, audio
```

```
ExpiresByType image/gif "access plus 1 month"
```

```
ExpiresByType image/png "access plus 1 month"
```

```
ExpiresByType image/jpeg "access plus 1 month"
```

```
ExpiresByType video/ogg "access plus 1 month"
```

```
ExpiresByType audio/ogg "access plus 1 month"
```

```
ExpiresByType video/mp4 "access plus 1 month"
```

```
ExpiresByType video/webm "access plus 1 month"
```

```
# HTC files (css3pie)
```

```
ExpiresByType text/x-component "access plus 1 month"
```

```
# Webfonts
```

```
ExpiresByType application/x-font-ttf "access plus 1 month"
```

```
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType application/x-font-woff "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"

# CSS and JavaScript
ExpiresByType text/css "access plus 0 seconds"
ExpiresByType application/javascript "access plus 0 seconds"

</IfModule>

# -----
# Prevent mobile network providers from modifying your site
# -----

# The following header prevents modification of your code over 3G on some
# European providers.
# This is the official 'bypass' suggested by O2 in the UK.

# <IfModule mod_headers.c>
# Header set Cache-Control "no-transform"
# </IfModule>

# -----
# ETag removal
# -----

# FileETag None is not enough for every server.
<IfModule mod_headers.c>
  Header unset ETag
</IfModule>

# Since we're sending far-future expires, we don't need ETags for
# static content.
# developer.yahoo.com/performance/rules.html#etags
FileETag None

# -----
# Stop screen flicker in IE on CSS rollovers
# -----
```

```
# The following directives stop screen flicker in IE on CSS rollovers - in
# combination with the "ExpiresByType" rules for images (see above).

# BrowserMatch "MSIE" brokenvary=1
# BrowserMatch "Mozilla/4.[0-9]{2}" brokenvary=1
# BrowserMatch "Opera" !brokenvary
# SetEnvIf brokenvary 1 force-no-vary

# -----
# Set Keep-Alive Header
# -----

# Keep-Alive allows the server to send multiple requests through one
# TCP-connection. Be aware of possible disadvantages of this setting. Turn on
# if you serve a lot of static content.

# <IfModule mod_headers.c>
#   Header set Connection Keep-Alive
# </IfModule>

# -----
# Cookie setting from iframes
# -----

# Allow cookies to be set from iframes (for IE only)
# If needed, specify a path or regex in the Location directive.

# <IfModule mod_headers.c>
#   Header set P3P "policyref=\"/w3c/p3p.xml\"", CP=\"IDC DSP COR ADM DEVI TAIi PSA PSD IVAi
# </IfModule>

# -----
# Built-in filename-based cache busting
# -----

# If you're not using the build script to manage your filename version rewving,
# you might want to consider enabling this, which will route requests for
# `/css/style.20110203.css` to `/css/style.css`.

# To understand why this is important and a better idea than all.css?v1231,
# please refer to the bundled documentation about `.htaccess`.
```

```
-----  
  
# <IfModule mod_rewrite.c>  
# RewriteCond %{REQUEST_FILENAME} !-f  
# RewriteCond %{REQUEST_FILENAME} !-d  
# RewriteRule ^(.+)?\.(?!css|png|jpg|gif)$ $1.$3 [L]  
# </IfModule>  
  
# -----  
# Prevent SSL cert warnings  
# -----  
  
# Rewrite secure requests properly to prevent SSL cert warnings, e.g. prevent  
# https://www.example.com when your cert only allows https://secure.example.com  
  
# <IfModule mod_rewrite.c>  
# RewriteCond %{SERVER_PORT} !^443  
# RewriteRule ^https://example-domain-please-change-me.com%{REQUEST_URI} [R=301,L]  
# </IfModule>  
  
# -----  
# UTF-8 encoding  
# -----  
  
# Use UTF-8 encoding for anything served text/plain or text/html  
AddDefaultCharset utf-8  
  
# Force UTF-8 for a number of file formats  
AddCharset utf-8 .atom .css .js .json .rss .vtt .xml  
  
# -----  
# A little more security  
# -----  
  
# To avoid displaying the exact version number of Apache being used, add the  
# following to httpd.conf (it will not work in .htaccess):  
# ServerTokens Prod  
  
# "-Indexes" will have Apache block users from browsing folders without a  
# default document Usually you should leave this activated, because you  
# shouldn't allow everybody to surf through every folder on your server (which  
# includes rather private places like CMS system folders)
```

```
# Include the configuration files for the modules that you want to use.
```

```
<IfModule mod_autoindex.c>
```

```
Options -Indexes
```

```
</IfModule>
```

```
# Block access to "hidden" directories or files whose names begin with a  
# period. This includes directories used by version control systems such as  
# Subversion or Git.
```

```
<IfModule mod_rewrite.c>
```

```
RewriteCond %{SCRIPT_FILENAME} -d [OR]
```

```
RewriteCond %{SCRIPT_FILENAME} -f
```

```
RewriteRule "(^|/)\." - [F]
```

```
</IfModule>
```

```
# Block access to backup and source files. These files may be left by some  
# text/html editors and pose a great security danger, when anyone can access  
# them.
```

```
<FilesMatch "(\\. (bak|config|sql|fla|psd|ini|log|sh|incl|swp|dist)|")$" >
```

```
Order allow,deny
```

```
Deny from all
```

```
Satisfy All
```

```
</FilesMatch>
```

```
# If your server is not already configured as such, the following directive  
# should be uncommented in order to set PHP's register_globals option to OFF.  
# This closes a major security hole that is abused by most XSS (cross-site  
# scripting) attacks. For more information: http://php.net/register\_globals  
#
```

```
# IF REGISTER_GLOBALS DIRECTIVE CAUSES 500 INTERNAL SERVER ERRORS:
```

```
#
```

```
# Your server does not allow PHP directives to be set via .htaccess. In that  
# case you must make this change in your php.ini file instead. If you are  
# using a commercial web host, contact the administrators for assistance in  
# doing this. Not all servers allow local php.ini files, and they should  
# include all PHP configurations (not just this one), or you will effectively  
# reset everything to PHP defaults. Consult www.php.net for more detailed  
# information about setting PHP directives.
```

```
# php_flag register_globals Off
```

```
# Rename session cookie to something else, than PHPSESSID
```

```
# php_session_cookie_name =
```

```
# php_value session.name s10

# Disable magic quotes (This feature has been DEPRECATED as of PHP 5.3.0 and REMOVED as of )
# php_flag magic_quotes_gpc Off

# Do not show you are using PHP
# Note: Move this line to php.ini since it won't work in .htaccess
# php_flag expose_php Off

# Level of log detail - log all errors
# php_value error_reporting -1

# Write errors to log file
# php_flag log_errors On

# Do not display errors in browser (production - Off, development - On)
# php_flag display_errors Off

# Do not display startup errors (production - Off, development - On)
# php_flag display_startup_errors Off

# Format errors in plain text
# Note: Leave this setting 'On' for xdebug's var_dump() output
# php_flag html_errors Off

# Show multiple occurrence of error
# php_flag ignore_repeated_errors Off

# Show same errors from different sources
# php_flag ignore_repeated_source Off

# Size limit for error messages
# php_value log_errors_max_len 1024

# Don't precede error with string (doesn't accept empty string, use whitespace if you need)
# php_value error_prepend_string " "

# Don't prepend to error (doesn't accept empty string, use whitespace if you need)
# php_value error_append_string " "
```

```
# Increase cookie security
```

```
session.cookie_secure=1
```

```
<IfModule php5_module>
    php_value session.cookie_httponly true
</IfModule>

redirect 301 /showandtell http://www.homestart.net.au/show-and-tell
redirect 301 /questionnaire http://www.homestart.net.au/quarterly-survey-competition
redirect 301 /apply-now http://www.homestart.net.au/home-loans
redirect 301 /display-homes http://www.homestart.net.au/home-designs
redirect 301 /designs http://www.homestart.net.au/home-designs
redirect 301 /finance http://www.homestart.net.au/home-loans
redirect 301 /land-packages http://homestart.net.au/house-and-land-packages
redirect 301 /no-deposit-homeloans http://homestart.net.au/home-loans/zero-deposit-home-loan
redirect 301 /no-deposit-home-loans http://homestart.net.au/home-loans/zero-deposit-home-loan
redirect 301 /house-and-land http://homestart.net.au/house-and-land-packages
redirect 301 /house-and-land/south-of-the-river http://homestart.net.au/house-and-land-packages
redirect 301 /house-and-land/north-of-the-river http://homestart.net.au/house-and-land-packages
redirect 301 /homestart-difference http://www.homestart.net.au/about-us
redirect 301 /faq http://www.homestart.net.au/about-us/faq
redirect 301 /how-much-can-i-borrow http://homestart.net.au/home-loans/home-loan-calculator
redirect 301 /promotions http://www.homestart.net.au/news/promotions

redirect 301 /designs/view/the-brisbane http://www.homestart.net.au/home-designs/brisbane
redirect 301 /designs/view/the-brisbane-brookdale http://www.homestart.net.au/home-designs
redirect 301 /designs/display-homes http://www.homestart.net.au/home-designs
redirect 301 /designs/P10/P10/P10 http://www.homestart.net.au/home-designs

RewriteCond %{HTTP_HOST} ^.*$
RewriteRule ^designs/view/the-brisbane$ "http://www.homestart.net.au/home-designs/"

redirect 301 /news/testimonials http://www.homestart.net.au/news/homestart-reviews

redirect 301 /news/promotions/your-chance-to-win-250000 http://homestart.net.au/news/promotions

# Titan

redirect 301 /uploads/designs/specifications/specifications-sheet-standard.pdf http://homestart.net.au/uploads/designs/specifications/specifications-sheet-standard.pdf
redirect 301 /images/uploads/designs/StQuentin-Floorplan.pdf http://homestart.net.au/home-designs/uploads/designs/StQuentin-Floorplan.pdf
redirect 301 /uploads/designs/brochures/Armada-Brochure.pdf http://homestart.net.au/home-designs/uploads/designs/brochures/Armada-Brochure.pdf
redirect 301 /show-and-tell http://homestart.net.au/
redirect 301 /images/stories/HomeStart-designs/Floorplans/lawley-floorplan.pdf http://homestart.net.au/images/stories/HomeStart-designs/Floorplans/lawley-floorplan.pdf
redirect 301 /images/uploads/designs/Expressions-Brochure.pdf http://homestart.net.au/uploads/designs/Expressions-Brochure.pdf
```

redirect 301 /uploads/designs/floorplans/pdfs/empire.pdf http://homestart.net.au/home-design
redirect 301 /images/uploads/designs/Resort-Floorplan.pdf http://homestart.net.au/
redirect 301 /images/uploads/designs/Milligan-Floorplan.pdf http://homestart.net.au/
redirect 301 /images/stories/HomeStart-designs/Floorplans/MyPad-Floorplan.pdf http://homestart.net.au/
redirect 301 /images/uploads/designs/Glendower-Floorplan.pdf http://homestart.net.au/
redirect 301 /images/uploads/designs/Brisbane-Floorplan.pdf http://homestart.net.au/home-designs/
redirect 301 /images/uploads/designs/Duxton-Floorplan.pdf http://homestart.net.au/
redirect 301 /templates/home/flash/HDM-Music-Surprise.swf http://homestart.net.au/
redirect 301 /images/uploads/designs/Fairweather-Brochure.pdf http://homestart.net.au/home-designs/
redirect 301 /images/uploads/designs/Outram-Floorplan.pdf http://homestart.net.au/
redirect 301 /uploads/designs/brochures/Duxton-Brochure.pdf http://homestart.net.au/
redirect 301 /quarterly-survey-competition http://homestart.net.au/news/promotions/quarterly-survey-competition
redirect 301 /images/uploads/designs/Coronade-Brochure.pdf http://homestart.net.au/
redirect 301 /images/stories/HomeStart-designs/Floorplans/Glendower-Floorplan.pdf http://homestart.net.au/
redirect 301 /uploads/designs/floorplans/pdfs/Escape-Floorplan.pdf http://homestart.net.au/
redirect 301 /employment http://homestart.net.au/about-us/careers
redirect 301 /images/stories/HomeStart-designs/Floorplans/Coronade-Floorplan.pdf http://homestart.net.au/
redirect 301 /images/uploads/designs/Parade-Floorplan.pdf http://homestart.net.au/
redirect 301 /images/stories/HomeStart-designs/Brochures/Parade-Floorplan.pdf http://homestart.net.au/
redirect 301 /images/uploads/designs/Outram-Brochure.pdf http://homestart.net.au/
redirect 301 /images/uploads/designs/Everglade-Floorplan.pdf http://homestart.net.au/
redirect 301 /images/uploads/My_Pad_Brochure.pdf http://homestart.net.au/home-designs/my-pad-brochure
redirect 301 /uploads/designs/floorplans/pdfs/coronade.pdf http://homestart.net.au/
redirect 301 /images/stories/newsletter/2011-01-25/index.html http://homestart.net.au/
redirect 301 /images/stories/HomeStart-designs/Brochures/Balmoral-Floorplan.pdf http://homestart.net.au/
redirect 301 /images/stories/Documents/HomeStart-21year-celebration-TC.pdf http://homestart.net.au/
redirect 301 /images/uploads/designs/New-Aspirations-Brochure.pdf http://homestart.net.au/
redirect 301 /images/stories/HomeStart-designs/Floorplans/Armada-Floorplan.pdf http://homestart.net.au/
redirect 301 /uploads/designs/brochures/ http://homestart.net.au/
redirect 301 /images/uploads/designs/Armada-Brochure.pdf http://homestart.net.au/home-designs/armada-brochure
redirect 301 /images/uploads/designs/Fairweather-Floorplan.pdf http://homestart.net.au/
redirect 301 /firststart.asp http://homestart.net.au/
redirect 301 /subscribe http://homestart.net.au/e-news-subscribe
redirect 301 /e-news-subscribe http://homestart.net.au/
redirect 301 /resources/accommodation-resources http://homestart.net.au/

redirect 301 /news/homestart-reviews http://homestart.net.au/about-us/testimonials

#redirect 301 /designs/armada